



Trove1BV1 (Enclosure & Backplane) / TBV1 (Backplane)

Access and Power Integration Solutions

Trove1BV1 consists of a high-capacity enclosure with removable backplane. This unit easily combines Brivo ACS6000 boards with various Altronix power/accessories in a streamlined package. Trove simplifies board layout and wire management, reducing installation time and labor costs.



Trove1BV1

Brivo Boards are not included

Trove1BV1 (Trove1 Enclosure + TBV1 Backplane) Features

- Trove1BV1 and TBV1 accommodate Brivo boards with or without Altronix power/accessories.
- One (1) ACS6000-MBE
- One (1) ACS6000-DB or ACS6000-I/O
- Altronix Power Supplies and Sub-Assemblies
- Includes Altronix Trove1 Enclosure and one (1) removable TBV1 backplane

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE European Conformity

Features

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - One (1) double knockout
 - 1.948" (1-1/2" Conduit) / 1.701" (1-1/4" Conduit).

Features (cont'd)

- Nine (9) double knockouts
- 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Accommodates up to two (2) 12VDC/7AH batteries
- 16 AWG powder coated steel
- Includes cam lock, tamper switch and mounting hardware

Trove1BV1 - Dimensions (H x W x D):

18.0" x 14.5" x 4.625" (457.2mm x 368.3mm x 117.5mm)

Weights:

Product - 15.15 lbs. (6.87 kg)

Shipping - 19.05 lbs. (8.64 kg)

TBV1 - Dimensions (H x W x D):

16.625" x 12.5" x 0.3125" (422.3mm x 317.5mm x 8mm)

TBV1 - Weights:

Product - 3.35 lbs. (1.52 kg)

Shipping - 4.0 lbs. (1.81 kg)

All registered trademarks are property of their respective owners.

Access Controller Position Chart for the Following Models:

Altronix / Brivo	Pem Mounting
eFlow4NB, eFlow6NB, eFlow102NB, eFlow104NB, Tango1B	(A)
ACM4, ACM4CB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB, VR6	(B)
ACS6000-MBE	(C)
ACS6000-DB, ACS6000-I/O	(D)



